

RACK – SERVER

FLOOR STANDING SERVER RACK

Description

The ORCA Networking SERVER cabinets are designed and manufactured in compliance with quality and safety standards, optimal solutions for the management and organization of structure cabling. Orca system offers a range of wall racks with relative accessories. Rack cabinets are distinguished by their exceptional robustness, which, combined with affordability and simplicity of assembly/disassembly, place them at the top of their category.



General Feature

Feature:	19"Compatibility, Brushed and Sliding Cable Entries
	Material: 12/10 Steel - Finish Surface Powder Coating, Color RAL9005 (Black)
	IP20 protection degree in according to EN 60529.
	Passive ventilation slots and perforated panels for the recirculation of hot air
	Front single door perforated 80% - Reversible, with quick release hinges system.
	With foldaway handle, 2 key supplied. Opening 110°
	Rear, vertical double door, perforated 80%
	Blind side panels removable, two sections, with quick release system and door lock 1/4 turn lock;
	Front and rear 19 " in 20/10 galvanized steel side uprights adjustable in depth;
	Roof with predisposition for mounting 2-4 fans ventilation unit.
	Pre-punched and brushes space for cable inlet.
	Levelling feet and wheels;
	Standard ground kit;
	Static Load Capacity: 2000kg

Optional - Finishing plinth H100mm

On 800 version, 2 front vertical cable management


Dimensions:	Size:	42U	42U
	Width (Useful):	600 (560) mm	800 (760) mm
	Depth (Useful):	1000 (915) mm	1000 (915) mm
	Height (Useful):	2017 (1890) mm	2017 (1890) mm




Pinion Feet




Top Ventilation




Front View




Side View




Rear View



Top View




Bottom View



Front Isometric View

Specifications subject to change without prior notice - For more details please visit www.orca.it



Exploded diagram

COMPONENT LIST

1	Top Panel Sliding Cable Entry	9	Lower Side Panel
2	Top Panel	10	Bottom Panel with Cable Entries
3	Top Panel Brushed Cable Entry	11	Caster & Pinion Feet
4	Perforated Rear Door	12	Perforated Front Doors
5	Cabinet Main Frame	13	Vertical Cable Organiser
6	19" Device Mounting Rail	14	Front Door Locking Mechanism
7	Upper Side Panel	15	Horizontal Support Bar
8	Side Panel Plastic Sliding Lock	16	Side Panel Barrel Lock System

Ordering Information code:

OC-RKF-814200-00M	ORCA - Rack Server 800x1000 42U, perforated single rear and double front door, caster & pinion feet, Capacity: 2000kg
OC-RKF-614200-00M	ORCA - Rack Server 600x1000 42U, perforated single rear and double front door, caster & pinion feet, Capacity: 2000kg